

Serial No.: 09/745,091

Attorney Docket No.: 2000P7662US01**IN THE CLAIMS:**

This listing of the claims reflects the current status of claims in the application:

RECEIVED
CENTRAL FAX CENTER

OCT 02 2006

1. (Previously Presented) A system, comprising:
an H.323-compatible telecommunications program; and
a test program configured to allow a user to selectively build and view H.450 APDUs, provide said H.450 APDUs to said H.323-compatible telecommunications program, and receive corresponding H.450 APDUs from destination systems.
2. (Original) A system in accordance with claim 1, said test program including a graphical user interface (GUI) adapted to allow a user to input predetermined H.225 messages.
3. (Original) A system in accordance with claim 2, said GUI adapted to allow a user to fill in H.225 information fields.
4. (Original) A system in accordance with claim 3, said GUI adapted to allow a user to input a predetermined network facility extension.
5. (Original) A system in accordance with claim 4, said GUI adapted to display said H.225 message in an XML-like format.
6. (Previously Presented) A system comprising:
an H.450 client; and
a test program adapted to allow a user to selectively specify and display an H.225 message for sending to other systems.
7. (Original) A system according to claim 6, said test program including a graphical user interface (GUI) adapted to allow a user to specify an H.450 APDU and network facility extension.

Serial No.: 09/745,091

Attorney Docket No.: 2000P7662US01

8. (Original) A system in accordance with claim 7, said H.450 APDU viewable as a tree-structured text string.

9. (Original) A system in accordance with claim 8, wherein a user can send an H.225 message without an H.450 APDU.

10. (Original) A system in accordance with claim 9, said GUI adapted to display said H.225 message in an XML-like format.

11. (Previously Presented) A method, comprising:
providing an H.323-compatible telecommunications program; and
providing a test program configured to allow a user to selectively build and view H.450 APDUs, provide said H.450 APDUs to said H.323-compatible telecommunications program, and receive corresponding H.450 APDUs from destination systems.

12. (Original) A method in accordance with claim 11, said test program including a graphical user interface (GUI) adapted to allow a user to input predetermined H.225 messages.

13. (Original) A method in accordance with claim 12, said GUI adapted to allow a user to fill in H.225 information fields.

14. (Original) A method in accordance with claim 13, said GUI adapted to allow a user to input a predetermined network facility extension.

15. (Original) A method in accordance with claim 14, said GUI adapted to display said H.225 message in an XML-like format.

Serial No.: 09/745,091

Attorney Docket No.: 2000P7662US01

16. (Previously Presented) A method comprising:
providing an H.450 client; and
providing a test program adapted to allow a user to selectively specify and display an H.225 message for sending to other systems.

17. (Original) A method according to claim 16, said test program including a graphical user interface (GUI) adapted to allow a user to specify an H.450 APDU and network facility extension.

18. (Original) A method in accordance with claim 17, said H.450 APDU viewable as a tree-structured text string.

19. (Previously Presented) A system, comprising:
a multimedia telecommunications program; and
a test program configured to allow a user to selectively build and view supplementary service APDUs, provide said supplementary service APDUs to said multimedia telecommunications program, and receive corresponding supplementary service APDUs from destination systems.

20. (Original) A system in accordance with claim 19, said test program including a graphical user interface (GUI) adapted to allow a user to input a predetermined network facility extension.